

	Hits	Search Text	DBs
1	50769	mail.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	8278	S1 and (monitor\$5 or check\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	4475	S1 and (monitor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2311	S1 and (monitor\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	415	S4 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	183	S5 and read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	172	S6 and (stor\$4 or sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	144	S7 and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	142	S8 and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	105	S9 and date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S11 and chamber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	47	S8 and scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	2	"6567008".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	2	"6701217".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	50769	mail.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2311	S15 and (monitor\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	424	S16 and (database or receptacle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	116	S17 and recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	415	S16 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	183	S19 and read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	172	S20 and (stor\$4 or sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

Best Available Copy

	Hits	Search Text	DBs
22	144	S21 and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	85	S22 and recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	74	S23 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	144	code WITH stamp with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	114	S25 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	10	S26 and stamp.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	819	code WITH label WITH unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	709	S28 and, (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	83	S29 and label.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	12	S30 and unique.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	electronic adj postage adj unit and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	792	electronic adj1 postage and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	"100154464".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
35	0	"0154464".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	30	"0154464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	"015464.ap."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	0	"15464.ap."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	0	"10015464".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	2	"10015464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	9	"015464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	670	(electronic adj postage adj meter) and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	175	(computer adj meter) and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	18	(personal adj computer adj meter) and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	157	S43 NOT S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	7565 25	scan\$5 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	5111 0	S46 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	4651 1	S47 and (stor\$5 or sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
49	21765	S48 and time and date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	12939	S49 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	346291	scan\$5.ab. and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	16	S51 and (database same (store\$5 or sav\$4) same time same date same address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	0	S52 and (control adj chamber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	33	scan\$5 same (control adj chamber) and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	9	scan\$5 with (control adj chamber) and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	246	(340/569).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	0	("landand(@pd<"20011212"or@ad<"20011212"or@rlad<"20011212"or@rlpd<"20011212"or@prad<"20011212")").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	0	("land(@pd<"20011212"or@ad<"20011212"or@rlad<"20011212"or@rlpd<"20011212"or@prad<"20011212")").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	150	S56 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
60	50825	mail.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	2316	S60 and (monitor\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	12700	mail with (receptacle or box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	559	S62 and scan?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	0	S62 with scan\$n	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	41	S62 with scan?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	165	S62 with scan\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	129	S66 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	2	("20020042808").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	8013	information adj3 encrypt\$10 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	2	"6754366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	0	"09683380".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	3	"683380".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB